




G
GA-E
ISO 9001

Professional Manufacturer of

TITANIUM ALLOY BOLT

Anti-corrosive | High Accuracy | High Quality | Lightweight



<http://www.ga-e.com.tw>

ABOUT GA-E

The **GA-E INDUSTRIAL PRECISION CO., LTD**, was founded in 1997 and had engaged in making the screw mold designing for fifteen years. Also, we use the experience of manufacturing the screws mold design to titanium alloy screw.


Finally, in 2007, we used the innovational technology and **forged** the titanium alloy (**6AL-4V**) material quality screw successfully.

Our company provides the standard titanium alloy screw which conforms to the DIN912.


Besides, we supply high quality, lightweight, anti-corrosive and high accuracy buckles to various trades and occupations.

We can depend on the customers' demands to manufacture special screws.

Welcome to provide the samples or the plans for us so that we can develop together.



鈦特性 The feature of Ti



鍛造與車修製程比較

COMPARISON OF FORGING PROCESS AND TURNED PROCESS

Process 製程	Forging Process 鍛造製程	Turned Process 車削製程
Strength 強度	High 高	Low 低
Safety 安全性	High 高	Low 低
Anti-fatigue 耐疲勞度	High 高	Low 低
Hardness 硬度	High 高	Low 低
Technical Level 技術層次	Advanced 先進	General 普通
Produce Speed 生產速度	Fast 快	Slow 慢
Material Lose 材料耗損	Low 低	High 高
Unit Cost 單位成本	Low 低	High 高

GA-E 採用 [鍛造製程] / GA-E adopts forging process

Professional Manufacturer of
TITANIUM ALLOY BOLT

Anti-corrosive | High Accuracy | High Quality | Lightweight



TITANIUM ALLOY BOLT

鈦合金螺絲





鈦合金陽極發色螺絲

Titanium Alloy Screw- Anodised



Professional Manufacturer of
TITANIUM ALLOY BOLT

Anti-corrosive | High Accuracy | High Quality | Lightweight



鈦合金 PVD 處理螺絲

Titanium Alloy Screw-PVD



鈦合金螺絲附耐落

Titanium Alloy Screws w/ Nylok

Specification / customized

Thread / M3-M12

Pitch / 0.5-1.75

Material / Ti Gr.5 (Ti-6AL-4V)

MOQ / 300 pcs - item (Model)



鈦合金十字針頭、圓頭螺絲 Titanium Alloy Phillips Bolt

鈦合金套華司螺絲

Titanium Alloy Screws w/ Washers Assembled (SEMS)

Specification / customized

Thread / M3-M12

Pitch / 0.5-1.75

Length / 5mm-75mm

Washer's Material / Tin plate washer

Screw's Material / Ti Gr.5 (Ti-6AL-4V)

MOQ / 300 pcs - item (Model)



Professional Manufacturer of
TITANIUM ALLOY BOLT

Anti-corrosive | High Accuracy | High Quality | Lightweight

鈦合金龍頭螺絲

Titanium Alloy Stem Bolt

Available specification /
Standard size M4-M7 or
Customized
Pitch / 0.7-1.0
Length / 15mm-20mm
Material / Ti Gr.5 (Ti-6AL-4V)
MOQ / 300 pcs - item (Model)

Pattern specification
Thread / M5-M6
Pitch / 0.8-1.0
Length / 16mm-20mm
Material / Ti Gr.5
(Ti-6AL-4V)



Bicycle Ti-Bolt



鈦合金碟盤螺絲

Titanium Alloy Disc Bolt

Thread / M5
Pitch / 0.8
Length / 8mm-12mm
Standard / ISO 7380
Material / Ti Gr.5 (Ti-6AL-4V)
MOQ / 300 pcs - item (Model)



鈦合金折疊盒螺絲
Titanium Alloy Folding Bolt



鈦合金座管螺絲
Titanium Alloy Seatpost Bolt

鈦合金自行車踏板軸心
Titanium Alloy Bike Pedal Spindle / Axle



Professional Manufacturer of
TITANIUM ALLOY BOLT

Anti-corrosive | High Accuracy | High Quality | Lightweight

鈦合金特殊螺絲
Titanium Alloy Specific Bolt



鈦合金外 12 齒螺絲
Titanium Alloy External 12 Sawtooth Bolt



鈦合金筷子
Titanium Alloy Chopsticks



鈦合金機車鐵板牙螺絲
Titanium Alloy Motor Metal Sheet Screw



Motorcycle Ti-Bolt

鈦合金機車碟盤螺絲
Titanium Alloy Motor Disc Bolt



鈦合金機油注入口螺絲
Titanium Alloy Oil Injection Port Screw



Professional Manufacturer of
TITANIUM ALLOY BOLT

Anti-corrosive | High Accuracy | High Quality | Lightweight

鈦合金機車螺絲

Motorcycle used Titanium Alloy Bolts



鈦合金機車前輪軸心

Titanium Alloy Motor Front Wheel Axle

Material/Ti Gr.5 (Ti-6AL-4V)
MOQ/300 pcs - item (Model)





鈦合金機車螺絲

Motorcycle used Titanium Alloy Bolts



Professional Manufacturer of
TITANIUM ALLOY BOLT

Anti-corrosive | High Accuracy | High Quality | Lightweight

汽機車鈦合金車牌螺絲

Titanium Alloy Automobile / Motorcycle License Plate Bolt

Thread / M6

Pitch / 1.0

Length / 15mm

Material / Ti Gr.5 (Ti-6AL-4V)

MOQ / 300 pcs - item (Model)



Automobile Ti-Bolt

鈦合金汽車輪胎螺帽

Automobile Wheel of Titanium Lug Nut



鈦合金汽車輪胎螺絲

Automobile Wheel of Ti-Bolt



鈦合金汽車輪胎螺絲

Automobile Wheel of Ti-Bolt

Specification / M14XP1.5X35L

Material / Ti Gr.5 (Ti-6AL-4V)

MOQ / 300 pcs - item (Model)



鈦合金汽車輪胎螺帽

Automobile Wheel of Titanium Lug Nut

Pattern specification

M14-23DX10LX17HX33L

Material / Ti Gr.5 (Ti-6AL-4V)

MOQ / 300 pcs - item (Model)



GA-E01 螺絲模具 - 母模、沖模



SCREW MOLD



GA-E02 螺絲模具 - 碳化鎢沖棒



GA-E03 螺絲模具 - 合金沖棒



GA-E04 螺絲模具 - 梅花沖針



GA-E05 螺絲模具 - 合金工具



GA-E INDUSTRIAL PRECISION CO.,LTD

No.9-1, Ln. 372, Minzu St., Hunei Dist.,
Kaohsiung City 829, Taiwan (R.O.C.)
Tel : +886-7-6938503 ~4
Fax : +886-7-6930965
E-mail : gae@ga-e.com.tw



GA-E

